

Campbell, Dave

From: Campbell, Dave
Sent: Wednesday, November 25, 2015 8:53 AM
To: 'Karen Irons -MDE-'
Cc: Talley, David
Subject: RE: FW: Energy Answers Baltimore permit expiration (Maryland Public Service Commission Case No. 9199)

Karen-

Excellent letter. Enough said on that. Let us know what they say. Seems like your wary skepticism regarding continuous and timely construction are fully warranted.

I believe you said in your voicemail that you would provide EIP with a copy of the letter. Do you intend to have the Secretary send them a cover letter or do you plan to just send them a copy of the letter? I don't see a need for EPA to respond in any way but that may depend on our RA. Any response would be simply a courtesy response and would point to your letter and indicate MDE's primacy on these matters.

Have a great holiday!

Thanks,
Dave

David Campbell, Director
Office of Permits and State Programs
Air Protection Division
U.S. Environmental Protection Agency – Region III
1650 Arch Street
Mail Code: 3AP10
Philadelphia, PA 19103-2029
215-814-2196
campbell.dave@epa.gov

From: Karen Irons -MDE- [mailto:karen.iron@maryland.gov]
Sent: Wednesday, November 25, 2015 8:34 AM
To: Campbell, Dave <campbell.dave@epa.gov>
Cc: Talley, David <Talley.David@epa.gov>
Subject: Re: FW: Energy Answers Baltimore permit expiration (Maryland Public Service Commission Case No. 9199)

Dave

Please see attached letter

On Mon, Nov 23, 2015 at 1:17 PM, campbell, dave <campbell.dave@epa.gov> wrote:
| of

Karen Irons, Manager

Air Quality Permits Program
Maryland Department of Environment
410-537-3256